



RESEARCH

United States: Muslim Studies

- **Therapy Patients:** In a study of 190 Muslims seeking mental health counseling in Northern Virginia, 41% experienced domestic violence in the form of verbal, emotional, physical, and sexual abuse. Victims were 71% adult females, 12% adult males, and 16% children. 60% of all clients experienced verbal or psychological abuse in their lifetime, 50% physical abuse, 14% sexual abuse, and 3% reported having a relative killed. (Abugideiri 2007)
- **Prevalence:** A survey of 63 Muslim leaders showed that 10% of Muslims experienced physical abuse in their homes. (Alkhateeb 1999)
- **Prevalence:** A study of 23 Muslim married female immigrants from Bangladesh residing in Houston, Texas revealed a 10% prevalence rate of spousal abuse. (Rianon and Shelton 2003)
- **Attitudes:** A study of 162 women and 40 men was conducted in 202 Arab-American homes (98% of whom were Muslim). Interviewees approved of a man slapping his wife under the following conditions: 34% of women and 33% of men if she insults him when they are at home alone, 17% of women and 43% of men if she insults him in public, and 59% of both women and men if she hits him first in an argument. (Kulwicki and Miller 1999)
- **Experiences:** Quantitative and qualitative interviews conducted with the executive directors of 9 domestic violence organizations serving significant numbers of Muslim women found that of the 1,962 total Muslim women served annually, the average age was 32-years-old, and 85% were of immigrant background. The women experienced various forms of domestic violence including 82% emotional or verbal abuse, 65% financial abuse, 49% spiritual abuse, 74% physical abuse, and 30% sexual abuse. On average, the domestic violence organizations had 35 mosques in their geographic area, with 12% connected directly or indirectly to domestic violence organizations and/or services, and an estimated 6% of imams who had completed training in domestic violence. (Alkhateeb 2010)
- **Women's Shelter Residents:** A study of 57 closed-case files from an American Muslim women's shelter revealed that 37% had experienced multiple types of abuse, 23% experienced physical abuse, and 12% experienced emotional abuse. (Abdullah 2007)
- **Role of Imams:** A study of 22 mosques in New York found that 96% of the participants perceived the imam as a counselor, and 74% had sought counseling from imams for safety issues. (Abu-Ras and Gheith 2006)

United States: General Studies

- **Gender:** In the United States, 85% of domestic violence victims are known to be women. (U.S. DOJ 1998)
- **Relationships:** Domestic violence against women occurs in 31% of intimate partner relationships. (The Commonwealth Fund 1999)
- **Injuries:** Approximately half of all female victims of domestic violence report some type of injury, but only about 29% of them actually seek medical assistance. (Collins et al. 1999)
- **Children:** In families where one parent is abusing another, 50% of their children are also physically abused. (Strauss et al. 1990)

International: General Studies

- **International Women:** 1 in 3 women have experienced domestic violence during their lifetime (Heise et al. 1999)
- **Country Studies:** A survey of 15 sites in 10 countries found that 15-71% of women (with most sites falling between 29-62%) had experienced physical violence, sexual violence, or both, by an intimate partner during their lifetime (Garcia-Moreno et al. 2005)

International: Muslim Studies

- **Afghan Attitudes:** In a study of 121 Afghan women and men, over 30% felt increasingly concerned about family violence. (Abirafeh 2007)
- **Bengali Women:** A study of 2677 Bengali women aged 13-40 revealed that three out of four (75.6%) experienced violence from their husbands. (Silverman et al. 2007)
- **Egyptian Women:** In study of 631 Egyptian women, 22% experienced intimate partner violence. (Vizcarra et al. 2004)
- **Iranian Women:** A study of 1800 pregnant Iranian women found that 60.6% of the women experienced multiple forms of domestic violence, including psychological (60.5%), physical (14.6%), and sexual (23.5%) violence. (Jahanfar & Malekzadegan 2007)

- **Lebanese Women:** A study of 1418 Lebanese women attending primary health centers found that 35% experienced domestic violence, including verbal abuse (88%) and physical violence (66%). (Usta et al 2007)
- **Pakistani Women:** A study of 1324 pregnant Pakistani women found that 51% had experienced verbal, physical or sexual abuse in the six months prior to and/or during their pregnancies. (Karmaliani et al. 2008)
- **Palestinian Women:** In a study of 395 married women and men living in refugee camps, the majority of men (60.1%) and women (61.8%) believed that wife beating is justified in most situations. (Khawaja et al 2008)
- **Sudanese Patients:** A study of 146 Sudanese women at an outpatient clinic found that 45.8% had been victims of domestic violence. (Ahmed 2007)
- **Turkish Women:** In a study of 506 Turkish women attending health centers, 58% experienced domestic violence (primarily psychological and physical) frequently and continuously (Alper et al. 2005)

Sources

- Abdullah, Keilani. (2007). A peaceful ideal, violent realities: A study on Muslim female domestic violence survivors. In *Change from within: Diverse perspectives on domestic violence in Muslim communities*, eds. Maha B. Alkhateeb and Salma Elkadi Abugideiri, 69-89. Great Falls, VA: Peaceful Families Project.
- Abirafeh, Lina. (2007). Freedom is only won from the inside: Domestic violence in post-conflict Afghanistan. In *Change from within: Diverse perspectives on domestic violence in Muslim communities*, eds. Maha B. Alkhateeb and Salma Elkadi Abugideiri, 117-31. Great Falls, VA: Peaceful Families Project.
- Abu-Ras, Wahiba, Gheith, Ali and F. Cournos. (2008). Religion and imams role in mental health promotion: A study at 22 mosques in New York City Muslim community. *Journal of Muslim Mental Health*, 3(2): 157-78
- Abugideiri, Salma Elkadi. (2007). Domestic violence among Muslims seeking mental health counseling. In *Change from within: Diverse perspectives on domestic violence in Muslim communities*, eds. Maha B. Alkhateeb and Salma Elkadi Abugideiri, 91-115. Great Falls, VA: Peaceful Families Project.
- Ahmed, Awad Mohamed. (2007). Domestic violence in the Sudan: Opening Pandora's box. In *Change from within: Diverse perspectives on domestic violence in Muslim communities*, eds. Maha B. Alkhateeb and Salma Elkadi Abugideiri, 133-53. Great Falls, VA: Peaceful Families Project.
- Alkhateeb, Maha. (2009). "DV Organizations Serving Muslim Women: Preliminary Results of a 2009 Quantitative Survey." Peaceful Families Project. <http://www.peacefulfamilies.org/DVOrgsSurvey.pdf>
- Alkhateeb, Sharifa. (1999). Ending domestic violence in Muslim families. *Journal of Religion and Abuse*, 1(44): 49-59.
- Alper, Z., N. Ergin, K. Selimoglu and N. Bilgel. (2005). Domestic violence: a study among a group of Turkish women. *European Journal of General Practice*, 11(2): 48-54.
- Collins, Karen, Schoen, Cathy, Joseph, Susan, et al. (1999). *Health concerns across a woman's lifespan: The Commonwealth Fund 1998 survey of women's health*. New York, NY: The Commonwealth Fund.
- The Commonwealth Fund. (1999). Health concerns across a woman's lifespan: The Commonwealth Fund 1998 survey of women's health. http://www.cmf.org/publications/publications_show.htm?doc_id=221554.
- Ergin, N., N. Bayram, Z. Alper, K. Selimoglu and N. Bilgel. (2005). Domestic violence: A tragedy behind the doors. *Women's Health*, 42(2): 35-51.
- Garcia-Moreno, C., Jansen, H., Ellsberg, M., Heise, L., and C. Watts. (2005). *WHO Multi-country study on women's health and domestic violence against women: Initial results on prevalence, health outcomes and women's responses*. Geneva: World Health Organization.
- Heise, Lori, Ellsberg, Mary, and Megan Gottemoeller. (1999). Ending violence against women. *Population Reports*, L(11). Johns Hopkins University School of Public Health, Population Information Program. Baltimore, Maryland.
- Jahanfar, Shayesteh, and Zahra Malekzadegan. (2007). The prevalence of domestic violence among pregnant women who were attended in Iran University of Medical Science Hospitals. *Journal of Family Violence*, 22(8): 643-48.
- Karmaliani, Rozina et al. (2008). Domestic violence prior to and during pregnancy among Pakistani women. *Acta Obstetrica et Gynecologica Scandinavica*, 87:11, 1194-1201.
- Khawaja, Marwan, Linos, Natalia, and Zeina El-Roueiheb. (2008). Attitudes of men and women towards wife beating: Findings from Palestinian refugee camps in Jordan. *Journal of Family Violence*, 23(3): 211-18.
- Kulwicki, Anahid D., and Miller, June. (1999). Domestic violence in the Arab American population: Transforming environmental conditions through community education. *Issues in Mental Health Nursing*, 20: 199-215.
- Rianon, Nahid J., and Shelton, A. J. (2003). Perception of spousal abuse expressed by married Bangladeshi immigrant women in Houston, Texas, U.S.A. *Journal of Immigrant Health*, 5(1): 37-44.
- Silverman J, Gupta J, Decker M, Kapur N, Raj A. (2007). Intimate partner violence and unwanted pregnancy, miscarriage, induced abortion, and stillbirth among a national sample of Bangladeshi women. *BJOG*, 114:1246-52.
- Strauss, Murray, Gelles, Richard, and Christine Smith. (1990). *Physical violence in American families: Risk factors and adaptations to violence in 8,145 families*. New Brunswick, NJ: Transaction Publishers.
- U.S. Department of Justice. (1998). Office of Justice Programs, Bureau of Justice Statistics. Intimate partner violence in the United States. <http://www.ojp.usdoj.gov/bjs/intimate/ipv.htm>.
- Usta, J., Farver, J., and N. Pashayan. (2007). Domestic violence: the Lebanese experience. *Public Health*, 121(3): 208-19.
- Vizcarra B., F. Hassan, W.M. Hunter, S.R. Munoz, L. Ramiro and C.S. De Paula. (2004). Partner violence as a risk factor for mental health among women from communities in the Philippines, Egypt, Chile, and India. *Injury Control and Safety Promotion*, 11(2): 125-9.